



agromeks
AGRICULTURAL MACHINERY



agromeks.com/en


**We Are Building
The Green Future**




PANTER 10 Solid Manure Spreader Trailer



PANTER 10



-Double-Row Chain Conveyor System-



-Twin-tray and Threshing Distributor System-



-Powerful Transmission, Powerful Machine-



PANTER-10 stands out as a larger capacity agricultural machine. It is 725 cm long, 210 cm wide, and 240 cm high. This model weighs 3900 kg and utilizes a tandem axle system. It is equipped with a hydraulic conveyor system and has a capacity of 10 m³, which translates to a 12-ton fertilizer carrying capacity. It features a spiral motion operated by a tail shaft - PTO and 12 mm heat-treated chains. The tire size is 400/60-15.5. The minimum required power is 75 horsepower, with a tail shaft speed of 540 revolutions per minute. Fertilizer spreading width can be adjusted between 5-15 m. It comes with a 2-year warranty.

The Double-Row Chain Conveyor System transports the fertilizer uniformly. Its 12mm heat-treated chains are resistant to objects such as stones. The Twin-Tray, Threshing Distributors allow for fertilizer spreading up to 15 meters. Our specially designed transmissions are manufactured to withstand sudden load changes.


Capacity m3	10 m3
Capacity Ton	12 ton
Manurid Spread Area	5-15 m
Minimum Tractor Power	75 HP
PTO	540
Axxle Type	Double Axxle / Tandem Scissors
Lenght	725cm
Width	210cm
Height	240cm
Weight	3900kg
Conveyor	Hydraulic
Spiral Movement	PTO
Spiral Gearbox Number	2
Conveyor Gearbox Number	1
Protect System	Shoe Shaft
Spiral Number	2
Conveyor Type	12 mm HEated Chain
Tires	400/60-15,5
Warranty	2 Years




PANTER 5 Solid Manure Spreader Trailer



PANTER 5



-Double-Row Chain Conveyor System-



-Twin-tray and Threshing Distributor System-



-Powerful Transmission, Powerful Machine-



PANTER-5 stands out as a larger capacity agricultural machine. It is 725 cm long, 210 cm wide, and 240 cm high. This model weighs 3900 kg and utilizes a tandem axle system. It is equipped with a hydraulic conveyor system and has a capacity of 10 m³, which translates to a 12-ton fertilizer carrying capacity. It features a spiral motion operated by a tail shaft - PTO and 12 mm heat-treated chains. The tire size is 400/60-15.5. The minimum required power is 75 horsepower, with a tail shaft speed of 540 revolutions per minute. Fertilizer spreading width can be adjusted between 5-15 m. It comes with a 2-year warranty.

The Double-Row Chain Conveyor System transports the fertilizer uniformly. Its 12mm heat-treated chains are resistant to objects such as stones. The Twin-Tray, Threshing Distributors allow for fertilizer spreading up to 15 meters. Our specially designed transmissions are manufactured to withstand sudden

Capacity m ³	6 m ³
Capacity Ton	7 ton
Manurid Spread Area	5-15 m
Minimum Tractor Power	55 HP
PTO	540
Axxle Type	Single Axxle
Lenght	606cm
Width	210cm
Height	230cm
Weight	2940kg
Conveyor	Hydraulic
Spiral Movement	PTO
Spiral Gearbox Number	2
Conveyor Gearbox Number	1
Protect System	Shoe Shaft
Spiral Number	2
Conveyor Type	12 mm Heated Chain
Tires	400/60-15,5
Warranty	2 Years




G-PANTER 4-6


Garden Type Solid Manure Fertilizer



G-PANTER 4-6



-Distance-adjustable covers



-Manure conveyor system



-Double tray spread system



Agromeks Panther Garden/Greenhouse Type Solid Fertilizer Distribution Trailers are effective agricultural equipment that enables the homogeneous distribution of solid animal fertilizers onto agricultural land, orchards, and vineyards. Our 4m³, 5m³, and 6m³ capacity models offer a wide variety with loading capacities of 5 tons, 6 tons, and 7 tons.

The single axle tandem scissor system, distinguished by its special design, offers excellent fuel efficiency and ease of use even with low horsepower tractors.

With adjustable spreading capacity from 1 to 8 meters, it provides quick and effective fertilizer distribution on large plots of land.

Furthermore, our product comes with an additional assurance of a 2-year service guarantee.

	PANTER-4	PANTER-6
TYPE	Garden Model	Garden Model
LENGHT	520 cm	520 cm
WIGHT	250 kg	250 kg
HEIGHT	157 cm	157 cm
TYRES	10,0/75 15,3	10,0/75 15,3
WORKING WIDTH	8 Mt Left or right adjustable (total 12mt)	8 Mt Left or right (total 12mt)
CAPACITY	4 [M ³]	4 [M ³]
PTO	540 RPM	540 RPM
WORKING SPEED	4-5 Km/H	4-5 Km/H
CONVEYOR TYPE	12mm Heateden Chain	12mm Heateden Chain
SPREADER TYPE AND NUMBER	Disc Model - 2 PCS	Disc Model - 2 PCS



We Are Building
The Green Future

We Are Building The Green Future



www.agromeks.com/en
+90 850 242 44 45
+90 532 659 87 22
sales@agromeks.com

Adress:
Reis Mahallesi. Akşehir Organize Sanayi Bölgesi. 5.Sokak. No:22
Akşehir/Konya/TURKEY